

COVERING LETTER

Environmental Products & Services Ltd
5 Shepherd's Way,
Carnbane Industrial Estate,
Newry BT35 6EE
Northern Ireland, UK
Att.: Patrick O'Neill

Type Approval of GreaseShield® GS 1850 STD/PF/F/AST/ECO

You have, on 09/07/2020 applied for renewal of Type Approval for the products as described in the above heading.

Kiwa Sverige AB, with accreditation number 1913, has carried out review of submitted documents and decided to issue the attached Type approval 1238 based on Chapter 8. 4§ Planning and Building Act – 3. Protection regarding hygiene, health and environment. The issued Type approval has a validity of 5 years from 2020-08-14 until 2025-08-13.

Any comments or complaints regarding the approved products, as well as information on corrective actions, shall be kept in an easily accessible manner in connection with an annual external inspection. The holder is responsible for ensuring that factory production control is carried out, reported and filed.

The Type approval is linked to the specified holder and applies to the product and to the extent that has been described in the certificate. Any alteration of product characteristics or belonging documents shall immediately be reported to Kiwa Certification Sweden so that the type approval shall not lose its validity. Invalid type approval can be withdrawn by Kiwa Sverige.

The validity of the type approval implies, that factory production control is maintained in accordance with BFS 2013:6, 5§ (TYP 7) and reported annually to e-mail se.bygg@kiwa.com no later than the 15th of December. In connection with the annual report, a cost of 2500 SEK excl. VAT / per type approval will be added. Any price adjustments must be notified in writing at least one (1) month in advance. Please disregard this if Kiwa Sverige is the designated inspection body in charge for annual monitoring check of your manufacturing.


Information:

When EU harmonized technical specification for CE marking is published for this product, and considering the transition period has expired, this type approval will end its validity as a legal Swedish document. The technical assessment of compliance with applicable Swedish Regulation is though not affected. At the time of the issue of this certificate no such European harmonized technical product specification had been issued. A harmonized product standard is a technical specification.

The case has been handled by the Certification Engineer: Johnny Ostenfeldt

Kiwa Sverige AB

Magnus Jerlmark
Technical Officer



TYPGODKÄNNANDE 1238

MED BESLUT OM TILLVERKNINGSKONTROLL

Innehavare: Environmental Products & Services Ltd

5 Shepherd's Way, Carnbane Industrial Estate, Newry BT35 6EE Northern Ireland, UK

Tel: +44 (0) 28 30833081

Fax:

E-post: IMS@EPAS-Ltd.com

Hemsida: www.EPAS-Ltd.com

Produktnamn: GreaseShield® GS 1850 STD/PF/F/AST/ECO

Produktbeskrivning

Helautomatisk fettavskiljare modell GreaseShield® GS 1850 STD/PF/F/AST/ECO

Avsedd användning

Används till avskiljning av fett och andra i vatten olösliga ämnen från spillvatten.

För installation inom kök i till exempel restaurangtjänster GreaseShield® används för avlägsnandet av fetter och oljor från fettproducerande objekt som ugnar, "rotisseries", wokmatlagings stationer, "wash-up", skölj-diskbänkar och diskmaskiner.

Instruktion för regelbunden skötsel måste åtfölja varje leverans samt journal med kvitto för skötsel. Dokumenten måste finnas bredvid installationen.

Omfattning

Fettavskiljare modell GreaseShield® GS 1850 STD/PF/F/AST/ECO.

Godkännande

Produkterna uppfyller kraven i Plan- och Bygglagens (PBL) 8 kap 4 § avseende Byggnadsverks tekniska egenskaper i fråga om **3. Skydd med hänsyn till hygien, hälsa och miljön**, under förutsättning att det som anges i detta godkännande följs. Produkterna godkänns i enlighet med följande avsnitt i Boverkets byggregler (BBR):

Byggprodukter med bedömda egenskaper, 1:4	
Installationer för spillvatten *	6:641
Utformning	6:644

* GreaseShield® är flötestestad i enlighet med EN 1825-1: 2004.

Testad i enlighet med EN 1825-1: 2004 Annex A: Kolväten max 25 mg/liter.

Märkning

Märkning ska göras på produkten eller, om det finns särskilda skäl, på förpackningen eller följesedeln. Märkning ska innehålla följande information:

Innehavare:

Produktnamn, och eventuellt artikelnummer:

Tillverkningsställe:

Spårbarhet till tillverkningen:

Uppgift om krav eller klass, om detta finns:

Boverkets inregistrerade varumärke nr 241 217:

Certifieringsorgan:

Ackrediteringsnummer:

Typpgodkännande:

Kontrollorgan:

Environmental Products & Services Ltd
GreaseShield® GS 1850 STD/PF/F/AST/ECO
Environmental Products & Services Ltd
Newry BT35 6EE Northern Ireland, UK
(t. ex. åååå-mm-dd eller batchnummer)



Kiwa Sverige AB
1913
1238
Kiwa Sverige AB



Kiwa Sverige AB

Campus Gräsvik 1
SE-371 75 Karlskrona

Tel +46 (0)455-30 56 00

Fax +46 (0)455-104 36

se.bygg@kiwa.com

www.kiwa.se



Accred. no. 1913
Certification of
Products
ISO/IEC 17065

Kontroll

Tillverkarens fortlöpande egenkontroll kombineras med övervakning utförd av ett ackrediterat kontrollorgan.

Kontrollorgan: **Kiwa Sverige AB**

Kontrollavtal: **051/2013 Kiwa Sverige och EPAS Ltd.**

Tillverkningskontroll ska utföras i enlighet med omfattningen i kontrollanvisningen, daterad 2020-18-14.

Vid kontroll på byggarbetsplatsen ska byggherren verifiera produktens identitet med hjälp av märkningen. Vidare ska byggherren tillse att rätt produkter levererats och att de installeras i enlighet med tillverkarens anvisningar i tillhörande handlingar. Det ska också kontrolleras att produkten åtföljs av en tillverkarförsäkran som intygar att tillverkning skett i enlighet med de handlingar som legat till grund för detta typgodkännande.

Typgodkännandets giltighet förutsätter även att tillverkningskontroll sker enligt kontrollanvisning och att innehavaren årligen uppfyller kravet i Boverkets föreskrift BFS 2013:6, 5 § (TYP 7), om fortlöpande egenkontroll. Innehavaren ska årligen, den 15:de december, rapportera till Kiwa Certifiering på e-postadress se.bygg@kiwa.com om utförd fortlöpande egenkontroll.

Tillhörande handlingar

Manual för installation och daglig drift (web: www.EPAS-Ltd.com)

Bedömningsunderlag

- EC "Declarations of conformity" CE 130722, för följande direktiv:
- EN 61000-6-2:2001 "Electromagnetic compatibility generic emission standard Part 2: Industrial Environment"
- EN 61000-6-4:2001 "Electromagnetic compatibility generic immunity standard Part 2: Industrial Environment"
- EN 60204-1:2006, "Safety of Machinery – Electrical Equipment of Machines"
- Ritning GS 1859 daterad 2016-10-06
- Komponentöversikt för GS enheter; 1850, 2000, 3000, 4000, 5000
- Bevittningsrapport ISO IEC 17020 KIWA Sverige AB daterad 2016-10-04/05
- Test rapport PB2016003318-1 corr 1 - ISO IEC 17025 KIWA Deutschland GmbH
- Kontrollavtal d.nr. 051/13 - Environmental Products & Services Ltd & KIWA Sverige AB
- Kontrollrapport ISO IEC CS 17020 KIWA Sverige AB daterad 2019-09-30

Kommentarer

Inför marketing och försäljning i Sweden, skall en nordisk språkversion för produkten finnas tillgänglig.

Typgodkännande är giltigt under förutsättning att produkten varken ska CE-märkas enligt Byggproduktförordningen, (EU) nr 305/2011 (CPR), eller har blivit suspenderat eller återkallat av Kiwa Certifiering.

Beslutsdatum: 2020-08-14

Diarienummer: 726/20

Giltigt till: 2025-08-13

Tidigare diarienummer: 888/17

Magnus Jerlmark


Johnny Ostenfeldt

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

ENVIRONMENTAL PRODUCTS AND SERVICES LTD

15 SHEPHERD'S WAY, CARNBANE INDUSTRIAL ESTATE, NEWRY, COUNTY DOWN, BT35 6EE, NORTH IRELAND, UNITED KINGDOM

Product:

Hydromechanical Grease Interceptors

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s)

ASME A112.14.3-2018 and CSA B481.1-2012 (R2017)

File Number: 11030


Revised Date: December 18, 2020

Effective Date: September 2019

Void After: September 2024*


Chairman, Product Certification Committee





CEO, The IAPMO Group

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: ENVIRONMENTAL PRODUCTS AND SERVICES LTD

Effective Date: September 2019

File Number: 11030

Revised Date: December 18, 2020

Product: Hydromechanical Grease Interceptors

Void After: September 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Manufacturer's name or trademark, model number, inlet, outlet, ASME A112.14.3, CSA B481.1, product type by rating, efficiency at rated capacity, flow rate, grease capacity, access cover load classification (L,M,H,X,S), and "Required (external flow control part number)" or "Not required" (if external flow control not required) shall be permanently and legibly marked on the unit so as to be visible after installation. The product shall also bear the cUPC® certification mark.


Characteristics:

Grease traps equipped with a flow control device. Trap contains removable baffles. To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: ENVIRONMENTAL PRODUCTS AND SERVICES LTD

File Number: 11030

Product: Hydromechanical Grease Interceptors

Effective Date: September 2019

Revised Date: December 18, 2020

Void After: September 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Alternate Model Number
GS1000 *	GS15 *
GS1000 -AST *	GS15 -AST *
GS1850 *	GS25 *
GS1850 -CRM-4 *	GS25 -CRM-4 *
GS1850 -L *	GS25 -L *
GS1850 -L -CRM-4 *	GS25 -L -CRM-4 *
GS1850 -AST *	GS25 -AST *
GS1850 -CRM-4-F -AST *	GS25 -CRM-4-F -AST *
GS2000 *	GS35 *
GS3000 *	GS45 *
GS3000DW *	GS45DW *
GS4000 *	GS60 *


Suffixes Note: “**”	Models above may contain a combination of suffices before or after the base model number that indicates the addition of food and solids filtration prior to the inlet of the base model.
FLF	Front loading filter - Food & Solids Filtration Accessory
PF	PreFilter - Food & Solids Filtration Accessory
F	FilterShield - Food & Solids Filtration Accessory

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

ENVIRONMENTAL PRODUCTS AND SERVICES LTD

15 SHEPHERD'S WAY, CARNBANE INDUSTRIAL ESTATE, NEWRY, COUNTY DOWN, BT35 6EE, NORTHERN IRELAND, UNITED KINGDOM

Product:

Automatic Grease Removal Devices

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s)

ASME A112.14.4-2001 (R2012) and CSA B481.1-2012 (R2017)

File Number: 11031

Revised Date: December 18, 2020

Effective Date: September 2019

Void After: September 2024*


Chairman, Product Certification Committee





CEO, The IAPMO Group

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: ENVIRONMENTAL PRODUCTS AND SERVICES LTD

Effective Date: September 2019

File Number: 11031

Revised Date: December 18, 2020

Product: Automatic Grease Removal Devices

Void After: September 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Product shall be permanently marked with the manufacturer's name or trademark, model number or designation, rated flow, efficiency, identification of "inlet" and "outlet", the designations "ASME A112.14.3", "ASME A112.14.4" and "B481.1", containment capacity, nominal inlet size, and the cUPC® certification mark.


Characteristics:

Automatic grease removal devices to be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: ENVIRONMENTAL PRODUCTS AND SERVICES LTD

File Number: 11031

Product: Automatic Grease Removal Devices

Effective Date: September 2019

Revised Date: December 18, 2020

Void After: September 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Alternate Model Number
GS1000 *	GS15 *
GS1000 -AST *	GS15 -AST *
GS1850 *	GS25 *
GS1850 -CRM-4 *	GS25 -CRM-4 *
GS1850 -L *	GS25 -L *
GS1850 -L -CRM-4 *	GS25 -L -CRM-4 *
GS1850 -AST *	GS25 -AST *
GS1850 -CRM-4-F -AST *	GS25 -CRM-4-F -AST *
GS2000 *	GS35 *
GS3000 *	GS45 *
GS3000DW *	GS45DW *
GS4000 *	GS60 *

Suffixes Note: “*”	Models above may contain a combination of suffices before or after the base model number that indicates the addition of food and solids filtration prior to the inlet of the base model.
FLF	Front loading filter - Food & Solids Filtration Accessory
PF	PreFilter - Food & Solids Filtration Accessory
F	FilterShield - Food & Solids Filtration Accessory



Certificate of Compliance

Certificate: 2708669

Master Contract: 259905

Project: 2708669

Date Issued: April 15, 2014

Issued to: Environmental Products & Services

(EPAS) Ltd
5 Shepherds Dr
Carnbane Industrial Estate
Newry, Down BT35 6JQ
United Kingdom
Attention: Jim O'Neill

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Thomas Valente

Issued by: Thomas Valente

PRODUCTS

CLASS 7701 01 - Drains and interceptors - Grease interceptor

CLASS 7701 81 - Drains and interceptors - Grease interceptor - Certified to US Standards

Class 7701 01 Drains and Interceptors- Grease Interceptor

Class 7701 81 Drains and Interceptors- Grease interceptor- Certified to US Standards

Grease Interceptor and Grease Removal Devices:

GS1000, GS1000AST, GS1000LL, GS1850, GS1850AST, GSAST-WOK, GS1850ECO, GS1850ECO-S, GS1850AST-ESO, GS1850LL, GS1850AST-CRM-4, GS1850-CRM4-F, GS1850AST-CRM-8, GS1850-8-F, GSUSA-115, GSUSA-125, GSUSA-140, GSUSA160, GSUSA229, GSUSA330, GSUSA-440

Acronyms:

LL {Low Level} - This is a small holding tank with a pump incorporated into the GreaseShield to receive effluent from appliances and then transfer it into the main GreaseShield tank.



Certificate: 2708669

Master Contract: 259905

Project: 2708669

Date Issued: April 15, 2014

WOK - This is a GS1850 unit suitable to accept waste from Chinese Wok cooking stations.

CRM - GreaseShield with modified programme to treat the effluent from Combi ovens, Rotisseries ovens and Multisseries ovens,

GS USA - Larger size tanks for greater flows.

AST - This is integrated within the GreaseShield tank and is used for screening the incoming effluent of solids. Food Solids get retained inside a hopper where an inclined auger automatically dewater and removes the solids to an external solids cartridge. The hopper has filtration holes allowing the screened effluent to pass through. Please note there is the additional option of adding or retrofitting a PreFilter™ / FilterShield™ to AST™ models.

Pre-Filter - The PreFilter is a solids filtration unit that removes and dewater organic solid matter that is typically entrained in the effluent prior to the GreaseShield .

FilterShield - The FilterShield is a solids filtration unit that removes and dewater organic solid matter that is typically entrained in the effluent prior to the GreaseShield.

APPLICABLE REQUIREMENTS

ASME A112.4.3-2000 - Testing of Grease Interceptors

ASME A112.4.4-2001 - Grease Removal Devices

CSA B481.0-2012 - Testing of Grease Interceptors

CSA B481.1-2012 - Testing and Rating of Grease Interceptors using Lard

CSA B481.5-2012 - Testing and Rating of Grease Interceptors Equipped with a Grease Removal Device



Supplement to Certificate of Compliance

Certificate: 2708669

Master Contract: 259905

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
2708669	Apr 15, 2014	WMTC for Certification to CSA B481.0, CSA B481.1, CSA B481.5, ASME A112.13.3-2000. ASME A112.14.4-2001 Various Models of Grease Interceptors.

EU/GB Declaration of Conformity



Declaration no.: EU/GB-ER210729

We the undersigned:

Name of manufacturer: Environmental Products & Services Ltd
Address: 6 Shepherds Way
Carnbane Industrial Estate
Newry
County Down
BT35 6EE
Country: Northern Ireland, United Kingdom

Declare under our sole responsibility that the following product:

Product description: Pro-active grease trap / interceptor for installation within Food Serving Establishment's Kitchens, Basements or located externally in weather proof housing. The GreaseShield is used for the separation and removal of Fats, Oils and Greases from the effluent of Grease producing appliances.

Model name and nos.: **Models as listed with controls either GS1850AST-MMP or GS1850-MMP**

GS1000	GS1850	GS2000	GS3000	GS4000
GS1000 -AST	GS1850 -CRM-4		GS3000DW	
	GS1850 -L			
	GS1850 -L -CRM-4			
	GS1850 -AST			
	GS1850 -CRM-4-F-AST			

Brand name: GreaseShield™

Is in conformity with the following relevant EU / GB legislation Regulations:

Low Voltage Directive 2014/35/EU (The Electrical Equipment Safety Regulations 2016, as amended by the Product Safety and Metrology etc. Amendment etc. EU Exit Regulations 2019)

EMC Directive 2014/30/EU (Product Safety and Metrology etc and Amendment etc. EU Exit Regulations 2019)

RoHS Directive 2011/65/EU (Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 S.I. 2012/3032).

Based on the following harmonized standards:

BS EN 60335-1:2012 + A2:2019 Household and similar electrical appliances - Safety

BS EN 61000-6-2:2019 EMC Generic standards. Immunity standard for industrial environments

BS EN 61000-6-4:2019 EMC Generic standards. Emission standard for industrial environments

And therefore complies with the essential requirements of those directives.

Additional information:

CE/UKCA Mark affixed: 29 July 2021
Technical file number: ER210729
Location of technical file: Company head office Newry
Limitations of use: As specified in user instructions

Name and position of person binding the manufacturer:

Signature:

Name: Jim O'Neill
Function: Managing Director
Location: Newry
Date of Issue: 29 July 2021



**GLOBAL
GREEN TAG**
INTERNATIONAL™
green product certification
trust brands

Global GreenTag International Pty Ltd
ABN 44 600 051 554

Level 54/111 Eagle Street, Brisbane City,
Queensland 4000, Australia
☎ 1300 263 586 ☎ +617 3399 9686
✉ admin@globalgreentag.com
@globalgreentag
www.globalgreentag.com

29 June 2022

The Directors
Environmental Products and Services Ltd
5 Shepherd's Drive
Cambane Industrial Estate
Newry, Co. Down
Ireland

Attention: Jim O'Neill
By email: jim.oneill@epas-ltd.com

The purpose of this letter is to clarify matters set out in the Global GreenTag certificate. It provides additional information on the scope, limitations and exclusions of the certificate issued based on information provided by the applicant and its suppliers. It is not a certificate and is not a substitute for the certificate, nor does it include any product variants apart from those specifically shown below.

Scope definition	The certificate applies to GreaseShield® range grease interceptors produced by Environmental Products and Services Ltd at their Co. Down factory in Ireland.
GreenTag Standard	Global GreenTag International Standard v3.2
Certification level	GreenRate Level A
Licence number	EPS:GS01:2020:GR
Limitations and exclusions:	The GreaseShield® range grease traps include GreaseShield 1000 with Front Loading Filter, GreaseShield 1000 AST, GreaseShield 1000 Low Level with Front Loading Filter, GreaseShield 1850 AST WOK, GreaseShield 1850 Low Level with Front Loading Filter, GreaseShield-CRM-4, GreaseShield-CRM-8, GreaseShield-CRM-8-F, GreaseShield 1850 Dual with PreFilter, GreaseShield 1850 Dual with PreFilter, GreaseShield 1850-ECO, GreaseShield 1850-ECO-S, GreaseShield 1850 AST with PreFilter, GreaseShield 1850AST-CRM-4-F, GreaseShield 2000 with PreFilter, GreaseShield®3000-F, GreaseShield®3000-DW and GreaseShield®4000-F. The products contain stainless steel and Aluminium alloy which are not painted or powder coated as well as ROHS certified electronics. This certificate only applies until the next renewal is due (20th April 2023), and the documentation required to upgrade to v4.0 will need to be provided as soon as possible and no later than the next certification cycle.

This information is provided to the applicant in complement to the certificate in order to ensure that the Global GreenTag Certification Mark is used only for products covered by the scope defined therein and in accordance to the current GreenTag Rules for the Use of Mark, and Terms and Conditions documents.

Global GreenTag Pty Ltd per

David Baggs
CEO & GreenTag Program Director
LFAIA, Green Star AP, LEED AP, MACS, Exemplar Global Lead Auditor

NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Environmental Products and Services Ltd

Facility: Manchester, United Kingdom

AS COMPLYING WITH NSF MECHANICAL PLUMBING PRODUCTS PROGRAM AND ALL
APPLICABLE REQUIREMENTS.

PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



ANSI Accredited Program
PRODUCT CERTIFICATION
#0216
Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in Listing for the referenced standards. For the most current and complete Listing information, please access NSF's website (www.nsf.org).

May 1, 2017

Certificate# C0336182 - 01

David Purkiss

General Manager, Plumbing

NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Environmental Products and Services Ltd

United Kingdom

AS COMPLYING WITH NSF MECHANICAL PLUMBING PRODUCTS PROGRAM AND ALL
APPLICABLE REQUIREMENTS.

PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



ANSI Accredited Program
PRODUCT CERTIFICATION
#9218
Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in Listing for the referenced standards. For the most current and complete Listing information, please access NSF's website (www.nsf.org).

May 1, 2017

Certificate# C0335529 - 01

David Purkiss

General Manager, Plumbing

NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

Environmental Products and Services Ltd

Facility: Northern Ireland, United Kingdom

AS COMPLYING WITH NSF MECHANICAL PLUMBING PRODUCTS PROGRAM AND ALL
APPLICABLE REQUIREMENTS.

PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



ANSI Accredited Program
PRODUCT CERTIFICATION
#0016
Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in Listing for the referenced standards. For the most current and complete Listing information, please access NSF's website (www.nsf.org).

May 1, 2017
Certificate# C0335530 - 01

David Purkiss
General Manager, Plumbing

GREASE INTERCEPTOR CERTIFICATE



This is to certify that the Grease Interceptors listed below, manufactured by, or for **Environmental Products & Services Ltd**, which conform to the drawings and dimensions supplied and has been tested by:

Tested at EPAS LTD, witnessed by CSA International, 8501 East Pleasant Valley Road, Cleveland, Ohio 4131
(Name of Testing Laboratory) (Street, City, State and Zip Code)

as of this date in accordance with the testing procedure established by the Plumbing and Drainage Institute, in P.D.I Standard PDI- G-101, which includes a vented inlet flow control, and has qualified for Certification, while maintaining an average efficiency of 90% or more and incremental efficiency of 80% or more, which are the acceptable levels in such Standard. Units with an automatic grease removal device are tested with it inoperative.

The results of tests conducted on this unit are applicable to these units only. Use of this data and/or reference to the Plumbing and Drainage Institute or the above named laboratory in connection with purported certification by any other means than testing to the applicable standard without the consent of the Plumbing and Drainage Institute will constitute a breach of the relevant certification Mark License Agreement with the Plumbing and Drainage Institute.

Drawings, dimensions and descriptions are provided on individual PDI certifications.

Model Nos:

GS1000*	GS1850 AST-CRM-8-F*	GSUSA-125*
GS1000 AST*	GS1850 AST-ECO*	GSUSA-140*
GS1000 LL*	GS1850 AST-WOK*	GSUSA-160*
GS1850 AST*	GS1850 ECO*	GSUSA-229*
GS1850 AST-CRM-4*	GS1850 ECO-S*	GSUSA-330*
GS1850 AST-CRM-4-F*	GS1850 LL*	GSUSA-440*
GS1850 AST-CRM-8*	GSUSA-115*	GS1850*

The statements made herein are certified to be true and correct.

Name Mat Weiss

Title Executive Director

Test Date March 14, 2014

Test No. 2708669-02

© 2014

*UNIT TESTED WITH GRD
FUNCTION INACTIVE

SINTEF Produktsertifikat

Nr. 3314

Utstedt: 23.12.2016

Fornyet: 19.11.2021

Gyldig til: 01.12.2026

forutsatt publisert på

www.sintefcertification.no

SINTEF bekrefter at

GreaseShield fettutskillere

er i samsvar med kravene i

› EN 1825-1, pkt. 5.5.3 – rensekapasitet



Innehaver

Environmental Product & Services Ltd.
6 Shepherd's Way, Carnbane Industrial Estate
Newry BT35 6EE, County Down
Northern Ireland (UK)

Produsent

Environmental Product & Services Ltd.
6 Shepherd's Way, Carnbane Industrial Estate
Newry BT35 6EE, County Down
Northern Ireland (UK)

Produkt- og produksjonskontroll

Produktet er underlagt overvåking i samsvar med kravene i NS-EN ISO/IEC 17065.

Produktbeskrivelse

GreaseShield fettutskillere, type GS 1850
STD/PF/F/AST/ECO

Funksjonskrav i Forurensingsforskriften

Påslipp til offentlig avløpsnett

Den enkelte kommune kan med grunnlag i Forurensingsforskriften, del 4: Avløp, kap. 15 A Påslipp, gi utslippstillatelse som enkeltvedtak eller utøve forvaltning etter vedtatt lokal forskrift. Hjemmelen for slike vedtak er forurensingsforskriftens § 5A-4 om påslipp til offentlig avløpsnett.

Krav til rensing

Kommunene har ulik praksis når det gjelder krav til rensing. Ansvarlig søker må sjekke lokale rensekra for det aktuelle prosjektet. Normalt vil fettutskilling være nødvendig der konsentrasjonen av fett overskrider 150 g/m³ (150 mg/l).

Andre sertifiseringskrav

Merking

Produktet kan merkes med SINTEFs sertifikatmerke slik som avbildet ovenfor. Merket kan også benyttes på emballasje og markedsføringsmaterie som angår de sertifiserte produkter.



Anne-Jorunn Enstad
Sertifiseringsleder



Confirmation Letter



UL CUSTOMER	ENVIRONMENTAL PRODUCTS & SERVICES LTD 15 Shepherd's Way Newry, BT35 6EE Ireland
UL CUSTOMER FILE #	E361705
CATEGORY	Waste Disposers ZDHR

June 8, 2021

As of the above date, UL LLC confirms that ENVIRONMENTAL PRODUCTS & SERVICES LTD is the party associated with UL File # E361705 that appears in the UL Product iQ platform. Public information contained in UL File # E361705 can be viewed using the following link:

<https://iq.ulprospector.com/en/profile?e=1189116>

The appearance of a company's name or a specific product/component designation in the UL Product iQ platform does not in itself mean that product or component so specified or identified is subject to UL's Surveillance Program.

The manufacturer's products are not covered under UL's Surveillance Program unless they bear the authorized UL Mark. Therefore, only those products bearing the appropriate authorized UL Mark or UL Recognized Component Mark, the authorized company name, tradename, trademark and product designation shall be considered as being covered by UL's Listing, Classification, or Recognition Service.

If you have questions regarding this letter, please contact the UL Customer Experience Center at cec@ul.com.

Sincerely,

Leadership & Governance Team
UL Product iQ

Confirmation Letter



UL CUSTOMER	ENVIRONMENTAL PRODUCTS & SERVICES LTD 15 Shepherd's Way Newry, BT35 6EE Ireland
UL CUSTOMER FILE #	E361705
CATEGORY	Waste Disposers Certified for Canada ZDHR7

June 8, 2021

As of the above date, UL LLC confirms that ENVIRONMENTAL PRODUCTS & SERVICES LTD is the party associated with UL File # E361705 that appears in the UL Product iQ platform. Public information contained in UL File # E361705 can be viewed using the following link:

<https://iq.ulprospector.com/en/profile?e=1189126>

The appearance of a company's name or a specific product/component designation in the UL Product iQ platform does not in itself mean that product or component so specified or identified is subject to UL's Surveillance Program.

The manufacturer's products are not covered under UL's Surveillance Program unless they bear the authorized UL Mark. Therefore, only those products bearing the appropriate authorized UL Mark or UL Recognized Component Mark, the authorized company name, tradename, trademark and product designation shall be considered as being covered by UL's Listing, Classification, or Recognition Service.

If you have questions regarding this letter, please contact the UL Customer Experience Center at cec@ul.com.

Sincerely,

Leadership & Governance Team
UL Product iQ